



# HAA14C

## FALL ARRESTER HARNESSSES

Fall protection



### Specific benefits



#### Hygiene

- Can wash harnesses and textiles with neutral soap



#### Performance

- Certification above maximum rated load 100kg; product certified at 140kg



#### Ease of Use

- Ergonomic design facilitates user movement

### Applications

- Agriculture
- Fishing
- Forestry

### Certifications and norms

ANSI Z359.11-2014



# HAA14C

## FALL ARRESTER HARNESSSES

Fall protection

### Standards - Details

### Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Steel, Polyester
Strap width	45 mm
Fastening	Buckles
Number of fall arrest attachment points	2
Number of total holding attachment points	2
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Holding point	Lateral
Color	Black-Red
SIZE	One size
Size	One size
Benefits element	Fall indicator
Lifespan from manufacturing	10 years
Type of conditioning	box of 10
Sternal	1
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m)








# HAA14C

## FALL ARRESTER HARNESSSES

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXEHAA14C	Black-Red	M/L	HAA14C	7798408754016	0	10	1	13.4 kg	40.0 cm	30.0 cm	30.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height