



# ANSI516 Green-Red

HARNAIS ANTICHUTE

Fall protection



## Specific benefits



### Comfort

- Bavarian design adapted to the body shape of women and men



### Hygiene

- Harnesses and textiles can be washed with neutral soap



### Performance

- Certification above the maximum rated load of 100 kg; product certified at 140 kg



### Easy to use

- Ergonomic design facilitating user movements
- Automatic loops optimizing installation and locking safety
- NFC system guarantees traceability

## Applications

- Stavba
- Vzdrževanje
- Kemična industrija
- Petrokemija
- Shranjevanje

## Certifications and norms



# ANSI516 Green-Red

HARNAIS ANTICHUTE

Fall protection

## Standards - Details

## Technical details

Composition of the main support	Kevlar®
Fastening	Buckles
Number of fall arrest attachment points	2
Number of total holding attachment points	2
Buckles	Automatic loop
Anti-fall point	Dorsal, Sternal
Holding point	Lateral
Color	Green-Red
Velikost	One size
Benefits element	Fall indicator
Lifespan from manufacturing	10 let
Type of packaging	Box of 10
Sternal	1
Dorsal	1
Fall arrest work situations	Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection



# ANSI516

## FALL ARRESTER HARNESSES

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ANSI516	Green-Red	M/L	ANSI516	7798408752845	0	5	1	11.45 kg	40.0 cm	30.0 cm	30.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height