



E25090 Žuta

2PLY SLINGS SF7

Oprema protiv pada



Prednosti



Higijena

· Mogućnost pranja pojaseva i tkanine neutralnim sapunom

Područje upotrebe

- Zgrada
- Održavanje
- Kemijska industrija
- Petrokemija
- Skladištenje

Certifikati i standardi



E25090 Žuta

2PLY SLINGS SF7

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Ravna uzica
Sastav glavnog nosača	Poliester
Maks. duljina (m)	8 m
Širina remena (mm)	90 mm
Min. duljina (m)	1 m
Boja	Žuta
Sigurno radno opterećenje (kg)	3000 kg
Type of split eye	Reduced








E25090

2PLY SLINGS SF7

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXE250900102	Yellow	1 m	E25090	7798408753033	0	6	1	6.96 kg	38.0 cm	25.0 cm	25.0 cm
WXE250900202	Yellow	2 m	E25090	7798408753644	0	8	1	14.6 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900302	Yellow	3 m	E25090	7798408751909	0	8	1	7.06 kg	50.0 cm	40.0 cm	33.0 cm
WXE250900402	Yellow	4 m	E25090	7798408752456	0	4	1	13.22 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900502	Yellow	5 m	E25090	7798408753040	0	4	1	16.0 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900602	Yellow	6 m	E25090	7798408752128	0	4	1	18.5 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900802	Yellow	8 m	E25090	7798408753651	0	2	1	12.35 kg	40.0 cm	30.0 cm	30.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height