



E25090 Rumena

2PLY SLINGS SF7

Fall protection



Specific benefits



Hygiene

· Harnesses and textiles can be washed with neutral soap

Applications

- Stavba
- Vzdrževanje
- Kemična industrija
- Petrokemija
- Shranjevanje

Certifications and norms



E25090 Rumena

2PLY SLINGS SF7

Fall protection

Standards - Details

Technical details

Type of equipment	Flat sling
Composition of the main support	Polyester
Max. length (m)	8 m
Strap width (mm)	90 mm
Min. length (m)	1 m
Color	Rumena
Safe working load (kg)	3000 kg
Type of split eye	Reduced








E25090


2PLY SLINGS SF7

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXE250900102	Yellow	1 m	E25090	7798408753033	0	6	1	6.96 kg	38.0 cm	25.0 cm	25.0 cm
WXE250900202	Yellow	2 m	E25090	7798408753644	0	8	1	14.6 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900302	Yellow	3 m	E25090	7798408751909	0	8	1	7.06 kg	50.0 cm	40.0 cm	33.0 cm
WXE250900402	Yellow	4 m	E25090	7798408752456	0	4	1	13.22 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900502	Yellow	5 m	E25090	7798408753040	0	4	1	16.0 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900602	Yellow	6 m	E25090	7798408752128	0	4	1	18.5 kg	40.0 cm	30.0 cm	30.0 cm
WXE250900802	Yellow	8 m	E25090	7798408753651	0	2	1	12.35 kg	40.0 cm	30.0 cm	30.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height