



Hand protection

EOS NOCUT WINTER VV913

LONG-LASTING CUT WORK

Level D cut, winter impact-resistant glove, ideal for multipurpose work in aqueous or oily environments



Specific benefits



Durability

· Longer service life thanks to a double coating for excellent abrasion resistance



Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
· Hook-and-loop fastener for better wrist support



Hygiene

· Washable glove, so it can be reused



Performance

· Flexible reinforcements for added protection against impact and pinching
· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388

4 X 4 4 DP



EN 511

1
3
X

ANSI ISEA 105

A4

Technologies and labels



DMF-free



Silicon-free

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Automotive

Risk Protection



Shock



Cutting



Cold



Wearing



Hand protection

EOS NOCUT WINTER VV913

LONG-LASTING CUT WORK

Level D cut, winter impact-resistant glove, ideal for multipurpose work in aqueous or oily environments

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
4 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

Glove kind	Special glove
Glove family	Cut and sewn textile coated glove
Mechanical Glove Type	Cut Sewn
Special gloves kind	Cold, Impact
Coating material and finition	Double Nitrile Layer
Coating Level	Palm Coating
Number of Coatings	Double Coated
Cuff characteristic	Velcro cuff
Benefits element	Reach, Vendor pack
Color	Yellow-Grey-Black
Size	8, 9, 10, 11, 12
Type of conditioning	Header card








Safety gloves

EOS NOCUT WINTER VV913

LONG-LASTING CUT WORK

Level D cut, winter impact-resistant glove, ideal for multipurpose work in aqueous or oily environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV913JA08	Yellow-Grey-Black	08	EOS NOCUT WINTER VV913	3295249233051	13295249233058	60	6	16.9 kg	36.8 cm	69.2 cm	34.0 cm
VV913JA09	Yellow-Grey-Black	09	EOS NOCUT WINTER VV913	3295249233068	13295249233065	60	6	17.1 kg	33.6 cm	71.2 cm	35.8 cm
VV913JA10	Yellow-Grey-Black	10	EOS NOCUT WINTER VV913	3295249233075	13295249233072	60	6	18.6 kg	34.4 cm	73.2 cm	36.8 cm
VV913JA11	Yellow-Grey-Black	11	EOS NOCUT WINTER VV913	3295249233082	13295249233089	60	6	18.9 kg	36.4 cm	75.0 cm	34.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height