



# CV42-TEL

## ENERGY ABSORBING LANYARDS

Fall protection



### Specific benefits



#### Hygiene

· Can wash harnesses and textiles with neutral soap



#### Compatibility

· Compatible with all kind of harnesses

### Applications

- Public Works
- Finishing Works/Craftsmanship
- Heavy Industry
- Light Industry
- Power Energy

### Certifications and norms



IRAM 3622-1

### Risk Protection



Fall



Slip



# CV42-TEL

## ENERGY ABSORBING LANYARDS

Fall protection

### Standards - Details

### Technical details

Type of equipment	Braided rope lanyard
Composition of the main support	Steel, Polyamide
Rope diameter (mm)	14
Color	White
Type of conditioning	Box of 5
Fall arrest work situations	Short vertical movement or movement on inclined surface (less than 3 m)
Opening (mm)	55 mm



# CV42-TEL

## ENERGY ABSORBING LANYARDS

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXECV42TEL	White	1,05 m	CV42-TEL	7798408754443	0	5	1	8.75 kg	38.0 cm	25.0 cm	17.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height