



TR00530

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Fall protection



Applications

- Kmetijstvo
- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Nafta in plin (pridobivanje)

Certifications and norms



2006/42/EEC

Protects against risks



Fall



TR00530

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Fall protection

Standards - Details

Technical details

Type of equipment	Manual winch
Composition of the main support	Galvanized steel
ARA lenght (m)	30
ARA lenght (inch)	1181.103
Color	Jeklo
Connector (user side)	Automatic lock hook, steel, opening 22mm
SIZE	30 m
Lifespan from manufacturing (let)	20
Safe working load (kg)	250








TR00530

FALL ARREST AND RESCUE, CONFINED SPACE

Manual winch, with 30 m cable, adaptable to our tripods and davit arm

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TR00530	Steel	30 m	TR00530	3295249219178	13295249219175	1	1	20.0 kg	40.0 cm	30.0 cm	25.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height