



WXETPRP100

TUBULAR ROUND SLINGS

Oprema protiv pada



Prednosti



Higijena

- Mogućnost pranja pojaseva i tkanine neutralnim sapunom

Područje upotrebe

- Nafta i plin (vađenje)

Certifikati i standardi



WXETPRP100

TUBULAR ROUND SLINGS

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Cjevasti remen
Sastav glavnog nosača	Poliester
Maks. duljina (m)	10 m
Širina remena (mm)	100 mm
Min. duljina (m)	4 m
Boja	Narančasta
SIZE	10 m
Vrsta pakiranja	Prodaje se na komad
Suitable for	High pressure
Pipe diameter- Maximum PSI	"2" - 20000 PSI, "3" - 20000 PSI, "4" - 10000 PSI








WXETPRP100

TUBULAR ROUND SLINGS

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXETPRP1000400	Orange	4 m	WXETPRP100	7798408755266	0	1	1	9.7 kg	38.0 cm	25.0 cm	25.0 cm
WXETPRP1000600	Orange	6 m	WXETPRP100	7798408755259	0	1	1	14.3 kg	38.0 cm	25.0 cm	25.0 cm
WXETPRP1000800	Orange	8 m	WXETPRP100	0	0	1	1	18.9 kg	38.0 cm	25.0 cm	25.0 cm
WXETPRP1001000	Orange	10 m	WXETPRP100	0	0	1	1	23.4 kg	38.0 cm	25.0 cm	25.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height