



TRA22BAG

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Fall protection



Applications

- Second work / craftman
- Kemična industrija
- Avtomobilska
- Nafta in plin (pridobivanje)
- Rudarska industrija
- Petrokemija

Certifications and norms



TS16415

3

Protects against risks



Fall



TRA22BAG

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Fall protection

Standards - Details

Technical details

Type of equipment	Telescopic tripod
Anchoring device	Tripod
Composition of the main support	Aluminum
Max. length (m)	1,97
Min. length (m)	1,25
Length (m)	2
Color	Aluminij
SIZE	Nastavljiva velikost
Lifespan from manufacturing (let)	20
Weight (kg)	17,4
Wheelbase on ground (m)	1,89
Not included	TRA103 step
Fall arrest work situations	Rescue and evacuation, Vertical movement, confined space
Length (ft)	6.5616








TRA22BAG

FALL ARREST AND RESCUE, CONFINED SPACE

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TRA22BAG	Aluminium-coloured	Adjustable	TRA22BAG	3295249199272	13295249194090	1	1	23.97 kg	28.0 cm	33.5 cm	154.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height