



WXETPRM100

TUBULAR ROUND SLINGS

Oprema protiv pada



Prednosti



Higijena

- Mogućnost pranja pojaseva i tkanine neutralnim sapunom

Područje upotrebe

- Nafta i plin (vađenje)

Certifikati i standardi



WXETPRM100

TUBULAR ROUND SLINGS

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Cjevasti remen
Sastav glavnog nosača	Poliester
Maks. duljina (m)	10 m
Širina remena (mm)	100 mm
Min. duljina (m)	4 m
Boja	Plava
SIZE	10 m
Vrsta pakiranja	Prodaje se na komad
Suitable for	Medium pressure
Pipe diameter- Maximum PSI	"2" - 20000 PSI, "3" - 15000 PSI, "4" - 10000 PSI








WXETPRM100

TUBULAR ROUND SLINGS

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXETPRM100040	Blue	4 m	WXETPRM100	7798408755280	0	1	1	8.1 kg	38.0 cm	25.0 cm	25.0 cm
WXETPRM100060	Blue	6 m	WXETPRM100	7798408755273	0	1	1	11.9 kg	38.0 cm	25.0 cm	25.0 cm
WXETPRM100080	Blue	8 m	WXETPRM100	7798408754511	0	1	1	15.7 kg	38.0 cm	25.0 cm	25.0 cm
WXETPRM100100	Blue	10 m	WXETPRM100	0	0	1	1	19.4 kg	38.0 cm	25.0 cm	25.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height