



# WXETPRM100

## ELINGUES RONDES TUBULAIRES

Fall protection



### Specific benefits



#### Hygiene

- Can wash harnesses and textiles with neutral soap

### Applications

- Oil & Gas (Extraction)

### Certifications and norms



# WXETPRM100

## ELINGUES RONDES TUBULAIRES

Fall protection

### Standards - Details

### Technical details

Type of equipment	Tubular round sling
Composition of the main support	Polyester
Max. length (m)	10 m
Strap width (mm)	100 mm
Min. length (m)	4 m
Color	Blue
SIZE	10 m
Type of conditioning	Sold by Unit
Suitable for	Medium pressure
Pipe diameter- Maximum PSI	"2" - 20000 PSI, "3" - 15000 PSI, "4" - 10000 PSI








# WXETPRM100

## TUBULAR ROUND SLINGS

Fall protection

### Logistics information


Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXETPRM100040	Blue	4 m	WXETPRM100	7798408755280	0	1	1	8.1 kg	38.0 cm	25.0 cm	25.0 cm
WXETPRM100060	Blue	6 m	WXETPRM100	7798408755273	0	1	1	11.9 kg	38.0 cm	25.0 cm	25.0 cm
WXETPRM100080	Blue	8 m	WXETPRM100	7798408754511	0	1	1	15.7 kg	38.0 cm	25.0 cm	25.0 cm
WXETPRM100100	Blue	10 m	WXETPRM100	0	0	1	1	19.4 kg	38.0 cm	25.0 cm	25.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height