

HAA26

FALL ARRESTER HARNESSES

Fall protection



Certifications and norms

ANSI Z359.11-2014

Specific benefits



Comfort

- \cdot "H" configuration for greater comfort in women and men
- ·Thermoformed belt provides lumbar support and optimal comfort



Hygiene

· Can wash harnesses and textiles with neutral soap



Performance

· Certification above maximum rated load 100kg: product certified at 140kg



Ease of Use

· Ergonomic design facilitates user movement

Applications

- Agriculture
- Fishing
- Forestry







HAA26

FALL ARRESTER HARNESSES

Fall protection

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Steel, Polyester
Strap width	45 mm
Fastening	Buckles
Number of fall arrest attachment points	2
Number of total holding attachment points	2
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Holding point	Lateral
Color	Black-Yellow
SIZE	One size
Size	One size
Lifespan from manufacturing	10 years
Type of conditioning	Box of 5
Sternal	1
Dorsal	1
Use	For confined space
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or inclined surface for rope access work, Short vertical movement or movement or movement or inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection







HAA26

FALL ARRESTER HARNESSES

Fall protection

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight				
WXEHAA26	Black-Yellow	M/L	HAA26	7798408753279	0	5	1	12.04 kg	40.0 cm	30.0 cm	30.0 cm	

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height



