




# DSQ2

## SLINGS ACCESORIES

Fall protection



### Applications

- Stavba
- Vzdrževanje
- Kemična industrija
- Petrokemija
- Shranjevanje

### Certifications and norms



# DSQ2

## SLINGS ACCESORIES

Fall protection

### Standards - Details

### Technical details

|                                   |                               |
|-----------------------------------|-------------------------------|
| Type of equipment                 | Accessories for cargo lashing |
| Composition of the main support   | Steel                         |
| Color                             | Črna-Oranžna                  |
| Lifespan from manufacturing (let) | 20                            |
| Weight (kg)                       | 5,28                          |
| Safe working load (kg)            | 2000 kg                       |
| Opening (mm)                      | 0-22 mm                       |
| Type of Shackle                   | Swivel                        |








# DSQ2

## SLINGS ACCESSORIES

Fall protection

### Logistics information

| Reference | Colour       | Size     | Designation | EAN13 | Box code |  |  | Weight  |  |  |  |
|-----------|--------------|----------|-------------|-------|----------|---|---|---------|---|---|---|
| WXEDSQ2   | Black-Orange | One size | DSQ2        | 0     | 0        | 1   | 1   | 5.28 kg | 18.0 cm   | 7.0 cm  | 27.0 cm   |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height