



LV511M

RADOVI NA UŽETU

Oprema protiv pada



Prednosti



Higijena

· Mogućnost pranja pojaseva i tkanine neutralnim sapunom

Područje upotrebe

- Javni radovi
- Pomoćni poslovi / Obrtništvo
- Teška industrija
- Laka industrija
- Prijevoz

Certifikati i standardi



LV511M

RADOVI NA UŽETU

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Sastav glavnog nosača	Čelik, Poliamid
Maks. duljina (m)	100 m
Min. duljina (m)	20 m
Boja	Bijela
SIZE	20 m
Spona (na strani konstrukcije)	1 kuka s automatskim zaključavanjem, čelična, s otvorom od 55 mm
Vijek upotrebe nakon datuma proizvodnje (godine)	10
Vrsta pakiranja	Prodaje se na komad
Maksimalni broj korisnika	1
Namjena	Za silazak i uspon, Za okomito kretanje, Za skučeni prostor
Radne situacije za zaštitu od pada	Pozicioniranje na mjestu rada, Spašavanje i evakuacija, Dugotrajno vertikalno kretanje ili kretanje na kosoj podlozi, Dugotrajno vertikalno kretanje ili kretanje na kosoj podlozi za radove na užetu, Vertikalno kretanje u ograničenom prostoru
Opening (mm)	55 mm
Diameter (mm)	10,5








LV511M

ROPE ACCESS WORK

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXELV51120M	White	20 m	LV511M	7798408752746	0	1	1	2.2 kg	38.0 cm	25.0 cm	11.0 cm
WXELV51130M	White	30 m	LV511M	7798408752753	0	1	1	3.0 kg	38.0 cm	25.0 cm	11.0 cm
WXELV51140M	White	40 m	LV511M	7798408754191	0	1	1	4.0 kg	38.0 cm	25.0 cm	11.0 cm
WXELV51150M	White	50 m	LV511M	7798408754207	0	1	1	4.64 kg	38.0 cm	25.0 cm	17.0 cm
WXELV51160M	White	60 m	LV511M	7798408754214	0	1	1	5.57 kg	38.0 cm	25.0 cm	17.0 cm
WXELV511100M	White	100 m	LV511M	7798408754498	0	1	1	8.34 kg	38.0 cm	25.0 cm	25.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height