



LV511M

TRAVAUX SUR CORDE

Fall protection



Specific benefits



Hygiene

· Harnesses and textiles can be washed with neutral soap

Applications

- Javna dela
- Second work / craftman
- Težka industrija
- Lahka industrija
- Prevoz

Certifications and norms



LV511M

TRAVAUX SUR CORDE

Fall protection

Standards - Details

Technical details

Composition of the main support	Steel, Polyamide
Max. length	100 m
Min. length	20 m
Color	Bela
SIZE	20 m
Connector (structure side)	1 automatic lock hook, steel, opening 55 mm
Lifespan from manufacturing	10 let
Type of packaging	Sold individually
Maximum number of users	1
Use	For ascent and descent, For vertical movement, For confined space
Fall arrest work situations	Work positioning, Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Vertical movement, confined space
Opening	55 mm
Diameter	10,5 mm








LV511M

ROPE ACCESS WORK

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXELV51120M	White	20 m	LV511M	7798408752746	0	1	1	2.2 kg	38.0 cm	25.0 cm	11.0 cm
WXELV51130M	White	30 m	LV511M	7798408752753	0	1	1	3.0 kg	38.0 cm	25.0 cm	11.0 cm
WXELV51140M	White	40 m	LV511M	7798408754191	0	1	1	4.0 kg	38.0 cm	25.0 cm	11.0 cm
WXELV51150M	White	50 m	LV511M	7798408754207	0	1	1	4.64 kg	38.0 cm	25.0 cm	17.0 cm
WXELV51160M	White	60 m	LV511M	7798408754214	0	1	1	5.57 kg	38.0 cm	25.0 cm	17.0 cm
WXELV511100M	White	100 m	LV511M	7798408754498	0	1	1	8.34 kg	38.0 cm	25.0 cm	25.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height