



E25300

2PLY SLINGS SF7

Fall protection



Specific benefits



Hygiene

· Harnesses and textiles can be washed with neutral soap

Applications

- Stavba
- Vzdrževanje
- Kemična industrija
- Petrokemija
- Shranjevanje

Certifications and norms



E25300

2PLY SLINGS SF7

Fall protection

Standards - Details

Technical details

Type of equipment	Flat sling
Composition of the main support	Polyester
Max. length (m)	8 m
Strap width (mm)	300 mm
Min. length (m)	2 m
Color	Oranžna
Safe working load (kg)	10000
Type of split eye	Reduced








E25300


2PLY SLINGS SF7

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXE253000202	Orange	2 m	E25300	7798408752500	0	2	1	12.86 kg	40.0 cm	35.0 cm	28.0 cm
WXE253000302	Orange	3 m	E25300	7798408754764	0	1	1	9.16 kg	40.0 cm	30.0 cm	30.0 cm
WXE253000402	Orange	4 m	E25300	7798408751640	0	1	1	10.8 kg	40.0 cm	35.0 cm	28.0 cm
WXE253000502	Orange	5 m	E25300	7798408753712	0	1	1	13.56 kg	40.0 cm	30.0 cm	30.0 cm
WXE253000602	Orange	6 m	E25300	7798408751923	0	1	1	15.4 kg	40.0 cm	30.0 cm	30.0 cm
WXE253000702	Orange	7 m	E25300	0	0	1	1	18.0 kg	40.0 cm	30.0 cm	30.0 cm
WXE253000802	Orange	8 m	E25300	7798408751930	0	1	1	21.7 kg	50.0 cm	40.0 cm	33.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height