



E25120

ELINGUES 7:1 IN DOUBLE PLI

Fall protection



Specific benefits



Hygiene

- Can wash harnesses and textiles with neutral soap

Applications

- Building
- Maintenance
- Chemical Industry
- Petrochemical
- Storage

Certifications and norms



E25120

ELINGUES 7:1 IN DOUBLE PLI

Fall protection

Standards - Details

Technical details

| | |
|---------------------------------|------------|
| Type of equipment | Flat sling |
| Composition of the main support | Polyester |
| Max. length (m) | 8 m |
| Strap width (mm) | 120 mm |
| Min. length (m) | 2 m |
| Color | Gray |
| Safe working load (kg) | 4000 kg |
| Type of split eye | Reduced |








E25120

2PLY SLINGS SF7

Fall protection

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|--------------|--------|------|-------------|---------------|----------|---|---|---------|---|---|---|
| WXE251200202 | Grey | 2 m | E25120 | 7798408752463 | 0 | 6 | 1 | 15.0 kg | 40.0 cm | 35.0 cm | 28.0 cm |
| WXE251200302 | Grey | 3 m | E25120 | 7798408752470 | 0 | 6 | 1 | 19.0 kg | 40.0 cm | 30.0 cm | 30.0 cm |
| WXE251200402 | Grey | 4 m | E25120 | 7798408753668 | 0 | 4 | 1 | 16.2 kg | 40.0 cm | 30.0 cm | 30.0 cm |
| WXE251200502 | Grey | 5 m | E25120 | 7798408755525 | 0 | 4 | 1 | 19.2 kg | 40.0 cm | 30.0 cm | 30.0 cm |
| WXE251200602 | Grey | 6 m | E25120 | 7798408753057 | 0 | 4 | 1 | 23.2 kg | 40.0 cm | 30.0 cm | 30.0 cm |
| WXE251200702 | Grey | 7 m | E25120 | 0 | 0 | 2 | 1 | 14.0 kg | 40.0 cm | 30.0 cm | 30.0 cm |
| WXE251200802 | Grey | 8 m | E25120 | 7798408753675 | 0 | 1 | 1 | 8.6 kg | 40.0 cm | 30.0 cm | 30.0 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height