



# E25030

## 2PLY SLINGS SF7

Oprema protiv pada



### Prednosti



#### Higijena

· Mogućnost pranja pojaseva i tkanine neutralnim sapunom

### Područje upotrebe

- Zgrada
- Održavanje
- Kemijska industrija
- Petrokemija
- Skladištenje

### Certifikati i standardi



# E25030

## 2PLY SLINGS SF7

Oprema protiv pada

### Pojedinosti - Standardi

### Tehnički detalji

Vrsta opreme	Ravna uzica
Sastav glavnog nosača	Poliester
Maks. duljina (m)	8 m
Širina remena (mm)	30 mm
Min. duljina (m)	1 m
Boja	Ljubičasta
Sigurno radno opterećenje (kg)	1000 kg
Type of split eye	Flat








# E25030

## 2PLY SLINGS SF7

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXE250300102	Purple	1 m	E25030	7798408750827	0	10	1	4.6 kg	38.0 cm	25.0 cm	11.0 cm
WXE250300202	Purple	2 m	E25030	7798408751893	0	8	1	6.0 kg	38.0 cm	25.0 cm	17.0 cm
WXE250300302	Purple	3 m	E25030	7798408752432	0	8	1	7.8 kg	38.0 cm	25.0 cm	17.0 cm
WXE250300402	Purple	4 m	E25030	7798408752449	0	8	1	9.6 kg	38.0 cm	25.0 cm	25.0 cm
WXE250300502	Purple	5 m	E25030	0	0	4	1	6.15 kg	38.0 cm	25.0 cm	17.0 cm
WXE250300602	Purple	6 m	E25030	7798408753613	0	6	1	10.4 kg	38.0 cm	25.0 cm	25.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height