



# CV1020

## LANYARDS

Fall protection



### Specific benefits



#### Hygiene

- Can wash harnesses and textiles with neutral soap



#### Ease of Use

- Automatic carabiners for secure locking and time saving
- NFC system guarantees traceability

### Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Petrochemical
- Storage

### Certifications and norms



IRAM 3622-2

### Risk Protection



Fall



# CV1020

## LANYARDS

Fall protection

### Standards - Details

### Technical details

Composition of the main support	Steel, Polyester
Max. length (m)	2 m
Strap width (mm)	45 mm
Min. length (m)	1,2 m
Length (m)	2
Fastening	Buckles
With connector	yes
Buckles	Manual loop
Color	Black
Connector 1	Automatic lock hook, steel, opening 16mm
Connectors (structure side)	1 automatic lock hook, steel, opening 55mm
Lifespan from manufacturing (years)	10
Type of conditioning	box of 10
Fall arrest work situations	Work positioning, Restraint
Lenght (ft)	6.5616



# CV1020

## LANYARDS

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXECV1020	Black	1,2 to 2 m	CV1020	7798408750421	0	10	1	10.6 kg	38.0 cm	25.0 cm	17.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height