



# TC015

## RADOVI NA UŽETU

Dvostruka kolotura s pokretnom prirubnicom, za rad na užetu

Oprema protiv pada



### Područje upotrebe

- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Kemijska industrija
- Petrokemija
- Energija

### Certifikati i standardi



EN12278

30 KN

### Štiti od



Pad



# TC015

## RADOVI NA UŽETU

Dvostruka kolotura s pokretnom prirubnicom, za rad na užetu

Oprema protiv pada

### Pojedinosti - Standardi

### Tehnički detalji

Vrsta opreme	Dvostruki oscilirajući koloturnik
Sastav glavnog nosača	Aluminij
Boja	Narančasta
SIZE	Univerzalna veličina
Veličina	One size
Vijek upotrebe nakon datuma proizvodnje (godine)	20
Težina (kg) (kg)	0.430
Namjena	Za pleteno uže
Radne situacije za zaštitu od pada	Dugotrajno vertikalno kretanje ili kretanje na kosoj podlozi za radove na užetu








# TC015

## ROPE ACCESS WORK


Swinging double flange pulley, for rope work

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TC015	Orange	One size	TC015	3295249186784	13295249186781	10	1	4.8 kg	26.0 cm	21.0 cm	19.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height