



Fall protection

LV400

ANCHORAGE DEVICES

Telescopic pole with 5 sections for remote securing from the ground (2 to 8 metres)



Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)
- Mining

Certifications and norms



Risk Protection



Fall



Fall protection

LV400

ANCHORAGE DEVICES

Telescopic pole with 5 sections for remote securing from the ground (2 to 8 metres)

Standards - Details

Technical details

Type of equipment	Telescopic rod
Composition of the main support	Glass Fiber
Max. length (m)	8
Min. length (m)	2
Adjustable length	Deployment with 5 sections,
Color	Red-Fluorescent yellow
SIZE	Adjustable
Lifespan from manufacturing (years)	20
Weight (kg)	5








Fall protection

LV400

ANCHORAGE DEVICES

Telescopic pole with 5 sections for remote securing from the ground (2 to 8 metres)

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LV400	Red-Fluorescent yellow	Adjustable	LV400	3660348006385	13660348006382	1	1	5.0 kg	8.0 cm	8.0 cm	207.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height