



PROTECTOR ROUND AN12010T

ANTICHUTE À RAPPEL AUTOMATIQUE

Fall protection



Specific benefits



Performance

· Certification above the maximum rated load of 100 kg: product certified at 150 kg



Easy to use

· Automatic carabiners for secure and time-saving locking
· Carrying handle for easy transport



Durability

· Impact-resistant ABS housing



Visibility

· Visual fall indicator for instant verification that the product is working properly

Applications

- Stavba
- Vzdrževanje
- Kemična industrija
- Petrokemija
- Shranjevanje

Certifications and norms



EN360

Protects against risks



Fall



PROTECTOR ROUND AN12010T

ANTICHUTE À RAPPEL AUTOMATIQUE

Fall protection

Standards - Details

Technical details

Type of equipment	Cable reel
Composition of the main support	ABS (Acrylonitrile Butadiene Styrene), Galvanized steel
ARA lenght (m)	10
ARA lenght (inch)	393.701
Color	Oranžna
SIZE	10 m
Benefits element	Fall indicator
Weight (kg)	6
Maximum load for one person (kg)	150
Fall arrest work situations	Vertical movement on a permanent structure, Long vertical movement or movement on inclined surface








PROTECTOR ROUND AN12010T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 10 metres

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN12010T	Orange	10 m	PROTECTOR ROUND AN12010T	3295249195625	13295249195622	1	1	7.32 kg	56.5 cm	30.0 cm	14.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height