



CV21EA

LONGES ABSORBEUR D'ÉNERGIE

Fall protection



Specific benefits



Comfort

- Elastic strap lanyard for easy movement and safety



Hygiene

- Harnesses and textiles can be washed with neutral soap



Easy to use

- Ergonomic design facilitating user movements
- Automatic carabiners for secure and time-saving locking
- NFC system guarantees traceability



Compatibility

- Compatible with all kind of harnesses

Certifications and norms



IRAM 3622-1

Applications

- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Petrokemija
- Shranjevanje

Protects against risks



Fall



CV21EA

LONGES ABSORBEUR D'ÉNERGIE

Fall protection

Standards - Details

Technical details

Composition of the main support	Steel, Polyester
Max. length (m)	1,5 m
Strap width (mm)	45 mm
Min. length (m)	1,2 m
With connector	yes
Color	Črna-Oranžna
Connector (user side)	Automatic lock hook, steel, opening 18mm
Lifespan from manufacturing (let)	10
Type of packaging	Box of 5
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m)



CV21EA

ENERGY ABSORBING LANYARDS

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXECV21EA	Black-Orange	1.50 m	CV21EA	7798408751336	0	5	1	4.1 kg	38.0 cm	25.0 cm	11.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height