



E26090

TUBULAR ROUND SLINGS

Oprema protiv pada



Prednosti



Higijena

· Mogućnost pranja pojaseva i tkanine neutralnim sapunom

Područje upotrebe

- Zgrada
- Održavanje
- Kemijska industrija
- Petrokemija
- Skladištenje

Certifikati i standardi



E26090

TUBULAR ROUND SLINGS

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Okrugli remen
Sastav glavnog nosača	Poliester
Maks. duljina (m)	8 m
Širina remena (mm)	100 mm
Min. duljina (m)	2 m
Boja	Plava
Sigurno radno opterećenje (kg)	8000 kg








E26090

TUBULAR ROUND SLINGS

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXE260900308	Blue	3 m	E26090	7798408753804	0	1	1	6.24 kg	38.0 cm	25.0 cm	25.0 cm
WXE260900408	Blue	4 m	E26090	7798408753811	0	1	1	8.125 kg	38.0 cm	25.0 cm	25.0 cm
WXE260900508	Blue	5 m	E26090	0	0	1	1	10.011 kg	38.0 cm	25.0 cm	25.0 cm
WXE260900608	Blue	6 m	E26090	7798408753828	0	1	1	11.897 kg	38.0 cm	25.0 cm	25.0 cm
WXE260900808	Blue	8 m	E26090	0	0	1	1	15.669 kg	38.0 cm	25.0 cm	25.0 cm
WXE260900908	Blue	9 m	E26090	0	0	1	1	17.554 kg	38.0 cm	25.0 cm	25.0 cm
WXE260901008	Blue	10 m	E26090	0	0	1	1	19.44 kg	38.0 cm	25.0 cm	25.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height