



E26090

TUBULAR ROUND SLINGS

Fall protection



Specific benefits



Hygiene

· Harnesses and textiles can be washed with neutral soap

Applications

- Stavba
- Vzdrževanje
- Kemična industrija
- Petrokemija
- Shranjevanje

Certifications and norms



E26090

TUBULAR ROUND SLINGS

Fall protection

Standards - Details

Technical details

| | |
|---------------------------------|-------------|
| Type of equipment | Round sling |
| Composition of the main support | Polyester |
| Max. length (m) | 8 m |
| Strap width (mm) | 100 mm |
| Min. length (m) | 2 m |
| Color | Modra |
| Safe working load (kg) | 8000 kg |








E26090

TUBULAR ROUND SLINGS

Fall protection

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|--------------|--------|------|-------------|---------------|----------|---|---|-----------|---|---|---|
| WXE260900308 | Blue | 3 m | E26090 | 7798408753804 | 0 | 1 | 1 | 6.24 kg | 38.0 cm | 25.0 cm | 25.0 cm |
| WXE260900408 | Blue | 4 m | E26090 | 7798408753811 | 0 | 1 | 1 | 8.125 kg | 38.0 cm | 25.0 cm | 25.0 cm |
| WXE260900508 | Blue | 5 m | E26090 | 0 | 0 | 1 | 1 | 10.011 kg | 38.0 cm | 25.0 cm | 25.0 cm |
| WXE260900608 | Blue | 6 m | E26090 | 7798408753828 | 0 | 1 | 1 | 11.897 kg | 38.0 cm | 25.0 cm | 25.0 cm |
| WXE260900808 | Blue | 8 m | E26090 | 0 | 0 | 1 | 1 | 15.669 kg | 38.0 cm | 25.0 cm | 25.0 cm |
| WXE260900908 | Blue | 9 m | E26090 | 0 | 0 | 1 | 1 | 17.554 kg | 38.0 cm | 25.0 cm | 25.0 cm |
| WXE260901008 | Blue | 10 m | E26090 | 0 | 0 | 1 | 1 | 19.44 kg | 38.0 cm | 25.0 cm | 25.0 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height