



E26090

ELINGUES RONDES TUBULAIRES

Fall protection



Specific benefits



Hygiene

· Can wash harnesses and textiles with neutral soap

Applications

- Building
- Maintenance
- Chemical Industry
- Petrochemical
- Storage

Certifications and norms



E26090

ELINGUES RONDES TUBULAIRES

Fall protection

Standards - Details

Technical details

Type of equipment	Round sling
Composition of the main support	Polyester
Max. length (m)	8 m
Strap width (mm)	100 mm
Min. length (m)	2 m
Color	Blue
Safe working load (kg)	8000 kg








E26090

TUBULAR ROUND SLINGS

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXE260900308	Blue	3 m	E26090	7798408753804	0	1	1	6.24 kg	38.0 cm	25.0 cm	25.0 cm
WXE260900408	Blue	4 m	E26090	7798408753811	0	1	1	8.125 kg	38.0 cm	25.0 cm	25.0 cm
WXE260900508	Blue	5 m	E26090	0	0	1	1	10.011 kg	38.0 cm	25.0 cm	25.0 cm
WXE260900608	Blue	6 m	E26090	7798408753828	0	1	1	11.897 kg	38.0 cm	25.0 cm	25.0 cm
WXE260900808	Blue	8 m	E26090	0	0	1	1	15.669 kg	38.0 cm	25.0 cm	25.0 cm
WXE260900908	Blue	9 m	E26090	0	0	1	1	17.554 kg	38.0 cm	25.0 cm	25.0 cm
WXE260901008	Blue	10 m	E26090	0	0	1	1	19.44 kg	38.0 cm	25.0 cm	25.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height