



S12R

FALL ARRESTERS ON ROPE

Fall protection



Specific benefits



Hygiene

- Can wash harnesses and textiles with neutral soap

Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)
- Mining

Certifications and norms

Risk Protection



Fall



S12R

FALL ARRESTERS ON ROPE

Fall protection

Standards - Details

Technical details

Composition of the main support	Polyamide
Max. length (m)	200 m
Min. length (m)	50 m
Rope diameter (mm)	12,7
Color	White
SIZE	100 m
Type of conditioning	Sold by Unit








S12R

FALL ARRESTERS ON ROPE

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXES12R50	White	50 m	S12R	7798408752814	0	1	1	5.0 kg	38.0 cm	25.0 cm	25.0 cm
WXES12R100	White	100 m	S12R	7798408753385	0	1	1	9.0 kg	40.0 cm	30.0 cm	30.0 cm
WXES12R200	White	200 m	S12R	7798408753392	0	1	1	18.0 kg	50.0 cm	40.0 cm	33.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height