



Fall protection



## Specific benefits



### Hygiene

· Harnesses and textiles can be washed with neutral soap

## Applications

- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Nafta in plin (pridobivanje)
- Rudarska industrija

## Certifications and norms

## Protects against risks



Fall



## Standards - Details

## Technical details

|                                   |   |
|-----------------------------------|---|
| Type of equipment                 | Temporary horizontal lifeline   |
| Composition of the main support   | Polyester   |
| Max. length (m)                   | 20 m  |
| Min. length (m)                   | 10 m  |
| Included elements                 | Carrying case, Included energy absorber   |
| Color                             | Rumena  |
| SIZE                              | 10 m  |
| Lifespan from manufacturing (let) | 10  |
| Maximum number of users           | 2   |
| Fall arrest work situations       | Movement on lifeline, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m) |








# KHC


## ANCHORAGE DEVICES

Fall protection

### Logistics information

| Reference | Colour | Size | Designation | EAN13         | Box code |  |  | Weight  |  |  |  |
|-----------|--------|------|-------------|---------------|----------|---|---|---------|---|---|---|
| WXEKHC10  | Yellow | 10 m | KHC         | 7798408755167 | 0        | 1   | 1   | 4.42 kg | 38.0 cm   | 25.0 cm   | 11.0 cm   |
| WXEKHC20  | Yellow | 20 m | KHC         | 7798408755174 | 0        | 1   | 1   | 5.64 kg | 38.0 cm   | 25.0 cm   | 11.0 cm   |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height