



WXE262500

TUBULAR ROUND SLINGS

Fall protection



Applications

- Javna dela
- Stavba
- Kemična industrija
- Petrokemija
- Shranjevanje

Certifications and norms



WXE262500

TUBULAR ROUND SLINGS

Fall protection

Standards - Details

Technical details

Type of equipment	Round sling
Composition of the main support	Polyester
Strap width (mm)	50 mm
Min. length (m)	6 m
Color	Oranžna
SIZE	7 m
Safe working load (kg)	20000 kg








WXE262500


TUBULAR ROUND SLINGS

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXE262500620	Orange	6 m	WXE262500	0	10000000000007	1	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm
WXE262500720	Orange	7 m	WXE262500	0	10000000000007	1	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm
WXE262500820	Orange	8 m	WXE262500	0	10000000000007	1	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm
WXE262500920	Orange	9 m	WXE262500	0	10000000000007	2	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm
WXE262501020	Orange	10 m	WXE262500	0	10000000000007	1	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height