



# KVAABS

## ANTICHUTE SUR CÂBLE

Fall protection



### Applications

- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Nafta in plin (pridobivanje)
- Rudarska industrija

### Certifications and norms

### Protects against risks



Fall



# KVAABS

## ANTICHUTE SUR CÂBLE

Fall protection

### Standards - Details

### Technical details

Composition of the main support	Steel
Max. length (m)	20 m
Min. length (m)	10 m
Length (m)	10 m, 20 m, 30 m, 40 m, 50 m, 60 m
Cable diameter (mm)	8
Color	Jeklo
SIZE	10 m
Type of packaging	Sold individually
Use	For ascent and descent
Fall arrest work situations	Vertical movement on a permanent structure
Lenght (ft)	32.808








# KVAABS


## FALL ARRESTERS ON CABLE

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXEKVA10ABS	Steel	10 m	KVAABS	7798408754108	0	1	1	5.38 kg	38.0 cm	25.0 cm	25.0 cm
WXEKVA20ABS	Steel	20 m	KVAABS	7798408754528	0	1	1	7.5 kg	38.0 cm	25.0 cm	17.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height