



# KVA

## FALL ARRESTERS ON CABLE

Fall protection



### Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)
- Mining

### Certifications and norms

### Risk Protection



Fall



# KVA

## FALL ARRESTERS ON CABLE

Fall protection

### Standards - Details

### Technical details

Composition of the main support	Steel
Max. length (m)	60 m
Min. length (m)	10 m
Cable diameter (mm) (mm)	8
Color	Steel
SIZE	10 m
Type of conditioning	Sold by Unit
Use	For ascent and descent
Fall arrest work situations	Vertical movement on a permanent structure








# KVA


## FALL ARRESTERS ON CABLE

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXEKVA10	Steel	10 m	KVA	7798408751381	0	1	1	6.72 kg	40.0 cm	30.0 cm	30.0 cm
WXEKVA20	Steel	20 m	KVA	7798408753309	0	1	1	9.44 kg	40.0 cm	30.0 cm	30.0 cm
WXEKVA30	Steel	30 m	KVA	7798408753316	0	1	1	12.08 kg	40.0 cm	30.0 cm	30.0 cm
WXEKVA40	Steel	40 m	KVA	7798408754115	0	1	1	14.42 kg	40.0 cm	30.0 cm	30.0 cm
WXEKVA60	Steel	60 m	KVA	7798408754122	0	1	1	18.0 kg	50.0 cm	40.0 cm	33.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height