



# E22060

ELINGUES 6:1 DOUBLE PLI

Fall protection



## Specific benefits



### Hygiene

- Can wash harnesses and textiles with neutral soap

## Applications

- Building
- Maintenance
- Chemical Industry
- Petrochemical
- Storage

## Certifications and norms



# E22060

ELINGUES 6:1 DOUBLE PLI

Fall protection

## Standards - Details

## Technical details

Type of equipment	Flat sling
Composition of the main support	Polyester
Max. length (m)	8,5 m
Strap width (mm)	60 mm
Min. length (m)	1 m
Safe working load (kg)	2000 kg
Type of split eye	Flat








# E22060

## 2PLY SLINGS SF6

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WXE220600102	Green	1 m	E22060	7798408750735	0	6	1	3.8 kg	38.0 cm	25.0 cm	11.0 cm
WXE220600152	Green	1.50 m	E22060	7798408750742	0	8	1	6.4 kg	38.0 cm	25.0 cm	17.0 cm
WXE220600202	Green	2 m	E22060	7798408750193	0	6	1	6.0 kg	38.0 cm	25.0 cm	17.0 cm
WXE220600252	Green	2.50 m	E22060	7798408750759	0	8	1	9.2 kg	38.0 cm	25.0 cm	25.0 cm
WXE220600352	Green	3.50 m	E22060	7798408751824	0	8	1	12.2 kg	38.0 cm	25.0 cm	25.0 cm
WXE220600302	Green	3 m	E22060	7798408750209	0	8	1	10.6 kg	38.0 cm	25.0 cm	25.0 cm
WXE220600452	Green	4.50 m	E22060	7798408752043	0	8	1	14.4 kg	38.0 cm	25.0 cm	25.0 cm
WXE220600402	Green	4 m	E22060	7798408750216	0	8	1	13.4 kg	38.0 cm	25.0 cm	25.0 cm
WXE220600552	Green	5.50 m	E22060	7798408753545	0	8	1	17.6 kg	40.0 cm	30.0 cm	30.0 cm
WXE220600502	Green	5 m	E22060	7798408750223	0	4	1	8.2 kg	38.0 cm	25.0 cm	17.0 cm
WXE220600602	Green	6 m	E22060	7798408750230	0	4	1	9.6 kg	38.0 cm	25.0 cm	17.0 cm
WXE220600652	Green	6.50 m	E22060	7798408752371	0	4	1	10.2 kg	38.0 cm	25.0 cm	17.0 cm
WXE220600702	Green	7 m	E22060	7798408752050	0	4	1	11.9 kg	38.0 cm	25.0 cm	17.0 cm
WXE220600802	Green	8 m	E22060	7798408751282	0	2	1	6.2 kg	38.0 cm	25.0 cm	11.0 cm
WXE220600852	Green	8.50 m	E22060	7798408752920	0	4	1	14.4 kg	40.0 cm	30.0 cm	30.0 cm



# E22060

## 2PLY SLINGS SF6

Fall protection

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height