



Protezione anticaduta

PROTECTOR EXTRA LARGE AN19060T

ANTICADUTA A RICHIAMO AUTOMATICO

Arrotolatore a richiamo automatico in cavo d n acciaio inox per spostamenti fino a 60 metri



Campi di utilizzo

- Edificio
- Industria chimica
- Petrolio e gas minerario (estrazione)
- Petrolchimico
- Energie
- Stoccaggio

Certificazioni e norme



EN360

Protegge contro i rischi



Caduta



Protezione anticaduta

PROTECTOR EXTRA LARGE AN19060T

ANTICADUTA A RICHIAMO AUTOMATICO

Arrotolatore a richiamo automatico in cavo d n acciaio inox per spostamenti fino a 60 metri

Dettagli - Norme

Dettagli tecnici

Tipo di attrezzatura	Arrotolatore a cavo
Composizione del supporto principale	ABS (acrilonitrile butadiene stirene), Acciaio
Lunghezza ARA (m)	60
Lunghezza ARA (inch)	2362.206
Colore	Nero-Arancio
SIZE	60 m
Vantaggio supplementare	Indicatore di caduta
Peso (kg) (kg)	30,5
Situazioni di lavoro	Spostamento verticale su impianto permanente, Grande spostamento verticale o su piano inclinato, Grande spostamento orizzontale su piano verticale



Fall protection

PROTECTOR EXTRA LARGE AN19060T

RETRACTABLE FALL ARRESTERS

Self-retractable fall arrester in stainless steel cable reel for long distances up to 60 metres.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN19060T	Black-Orange	60 m	PROTECTOR EXTRA LARGE AN19060T	3295249204037	13295249204034	1	1	31.7 kg	34.2 cm	27.0 cm	60.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height