



Düşme önleme

# PROTECTOR EXTRA LARGE AN19060T

OTOMATİK GERİ SARIMLI DÜŞME ÖNLEYİCİ

60 metreye kadar uzun mesafeler için otomatik geri çekilebilir paslanmaz çelik kablo makarası



## Uygulamalar

- Yapı
- Kimya endüstrisi
- Petrol ve Gaz (çıkarma)
- Petrokimya
- Enerjiler
- Depolama

## Sertifikalar ve standartlar



EN360

## Karşı korur



Düşme



Düşme önleme

# PROTECTOR EXTRA LARGE AN19060T

OTOMATİK GERİ SARIMLI DÜŞME ÖNLEYİCİ

60 metreye kadar uzun mesafeler için otomatik geri çekilebilir paslanmaz çelik kablo makarası

## Detaylar - Standartlar

## Ürün bilgileri

Ekipman Türü	Halat makarası
Ana destek yapısı	ABS (Akrilonitril Bütadien Stiren), Çelik
Otomatik geri çekmeli düşüş durdurma (ARA) uzunluğu (m)	60
Otomatik geri çekmeli düşüş durdurma (ARA) uzunluğu (inch)	2362.206
Renk	Siyah-Turuncu
SIZE	60 m
Ek avantaj	Düşme göstergesi
Ağırlık (kg) (kg)	30,5
Düşmeye karşı çalışma koşulları	Sabit yapılarda dikey hareket, Uzun dikey hareket ya da eğimli yüzeylerde hareket, Dikey yapıda uzun yatay hareket








Fall protection

# PROTECTOR EXTRA LARGE AN19060T

## RETRACTABLE FALL ARRESTERS

Self-retractable fall arrester in stainless steel cable reel for long distances up to 60 metres.

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN19060T	Black-Orange	60 m	PROTECTOR EXTRA LARGE AN19060T	3295249204037	13295249204034	1	1	31.7 kg	34.2 cm	27.0 cm	60.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height