



PROTECTOR METAL AN115T

ANTICHUTE À RAPPEL AUTOMATIQUE

Fall protection



Applications

- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Petrokemija
- Shranjevanje

Certifications and norms



Protects against risks



Fall



PROTECTOR METAL AN115T

ANTICHUTE À RAPPEL AUTOMATIQUE

Fall protection

Standards - Details

Technical details

Type of equipment	Cable reel
Composition of the main support	Galvanized steel
Max. length (m)	20
Length (m)	20
Color	Siva
SIZE	20 m
Lifespan from manufacturing (let)	10
Fall arrest work situations	Vertical movement on a permanent structure, Long vertical movement or movement on inclined surface, Long horizontal movement on vertical structure
Lenght (ft)	65.616








PROTECTOR METAL AN115T


RETRACTABLE FALL ARRESTERS

Fall protection

Logistics information


Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN115T	Grey	20 m	PROTECTOR METAL AN115T	3660348003285	13660348003282	1	1	10.2 kg	55.0 cm	30.0 cm	14.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height