

WXETC022

RESCUE AND EVACUATION

Fall protection



Certifications and norms

Specific benefits



Comfort

·Thermoformed belt provides lumbar support and optimal comfort



Hygiene

· Can wash harnesses and textiles with neutral soap



Ease of Use

- · Ergonomic design facilitates user movement
- \cdot Automatic carabiners for secure locking and time saving

Applications

- Building
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)
- Mining
- Petrochemical







WXETC022

RESCUE AND EVACUATION

Standards - Details

Technical details

Type of equipment	Rapid evacuation triangle
Composition of the main support	Polyester
Adjustment	adjustable universal sling
With connector	yes
Color	Gray-Black
SIZE	MD/LG
Lifespan from manufacturing (years)	10
Use	For ascent and descent, For vertical movement, For confined space
Fall arrest work situations	Rescue and evacuation







WXETC022 RESCUE AND EVACUATION

Fall protection

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		٦	Weight			
WXETC022	Grey-Black	Adjustable	WXETC022	7798408755426	1000000000007	5	1	10.6 kg	40.0 cm	35.0 cm	28.0 cm

\Diamond	NA +:
\bigcup	Multiple sales

Minimum sales

Box Width

Box Depth

Box Height



